



Algebra II Curriculum Crosswalk

The following document is to be used to compare the 2003 North Carolina Mathematics Standard Course of Study for Algebra II and the Common Core State Standards for Mathematics for Algebra II.

As noted in the Common Core State Standards for Mathematics document, the high school standards specify the mathematics that all students should study in order to be college and career ready. Mathematics concepts that lay the foundation for more advanced courses are indicated by a plus (+). Specific modeling standards appear throughout the high school Common Core State Standards for Mathematics and are indicated by a star (*). The high school standards were developed in conceptual categories that portray a coherent view of high school mathematics that cross a number of course boundaries. These conceptual categories include:

- Number and Quantity
- Algebra
- Functions
- Modeling
- Geometry
- Statistics and Probability

To download the Common Core State Standards, please visit <http://www.corestandards.org/the-standards>.

Important Note: The current SCoS will continue to be the taught and tested standards in the 2010-11 and 2011-12 school years. We expect the new Common Core standards to be taught and assessed in schools for the first time in the 2012-13 school year. That said, we are providing resources now and over the next two-years so that schools and teachers can get a head start on internalizing and planning to teach the new standards.

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
Number and Operations	1.01	Simplify and perform operations with rational exponents and logarithms (common and natural) to solve problems.	The Real Number System	N.RN.1	<p>Extend the properties of exponents to rational exponents.</p> <p>Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. For example, we define $5^{1/3}$ to be the cube root of 5 because we want $(5^{1/3})^3 = 5(1/3)^3$ to hold, so $(5^{1/3})^3$ must equal 5.</p>	At this level, address these laws using all rational exponent.
				N.RN.2	<p>Extend the properties of exponents to rational exponents.</p> <p>Rewrite expressions involving radicals and rational exponents using the properties of exponents.</p>	
			Linear, Quadratic, and Exponential Models ^d	F.LE.4	<p>Construct and compare linear and exponential models and solve problems</p> <p>For exponential models, express as a logarithm the solution to $ab^{ct} = d$ where a, c, and d are numbers and the base b is 2, 10, or e; evaluate the logarithm using technology.</p>	Consider extending this standard to include the relationship between properties of logarithms and properties of exponents, such as the connection between the properties of exponents and the basic logarithm property that $\log xy = \log x + \log y$.
	The Complex Number System	N.CN.1	<p>Perform arithmetic operations with complex numbers</p> <p>Know there is a complex number i such that $i^2 = -1$, and every complex number has the form $a + bi$ with a and b real.</p>			
N.		<p>Perform arithmetic operations with complex numbers</p>				

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
1.03					<p>Use the relation $i^2 = -1$ and the commutative, associative, and distributive properties to add, subtract, and multiply complex numbers.</p>	
		Operate with algebraic expressions (polynomial, rational, complex fractions) to solve problems.	Seeing Structure in Expression	A.SSE.2	<p>Interpret the structure of expressions Use the structure of an expression to identify ways to rewrite it. <i>For example, see $x^4 - y^4$ as $(x^2)^2 - (y^2)^2$, thus recognizing it as a difference of squares that can be factored as $(x^2 - y^2)(x^2 + y^2)$.</i></p>	Polynomial and rational expressions are the expectations at this level.
				A.SSE.3	<p>Write expressions in equivalent forms to solve problems</p> <p>Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.</p> <p>b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.</p>	It is important to balance conceptual understanding and procedural fluency in work with equivalent expressions. For example, development of skill in factoring and completing the square goes hand-in-hand with understanding what different forms of a quadratic expression reveal.
					<p>Write expressions in equivalent forms to solve problems</p> <p>Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.</p> <p>c. Use the properties of exponents to transform expressions for exponential functions. For example the expression $1.15t$ can be rewritten as $(1.151/12)12t \approx 1.01212t$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.</p>	
		Polynomials and Ratios	A.	<p>Understand the relationship between zeros and factors of polynomials</p>	Closure is not in the 2003 NC SCOS.	

NC SCOS			Common Core		Comments
Strand	Objective	Text of objective	Domain	Standard	
				<p>Cluster</p> <p>Text of objective</p> <p>Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials.</p>	Moving beyond quadratic is the expectation at this level.
			Arithmetic with Polynomials and Rational Expressions	<p>Understand the relationship between zeros and factors of polynomials</p> <p>A.APR.2 Know and apply the Remainder Theorem: For a polynomial $p(x)$ and a number a, the remainder on division by $x - a$ is $p(a)$, so $p(a) = 0$ if and only if $(x - a)$ is a factor of $p(x)$.</p>	
				<p>Use polynomial identities to solve problems</p> <p>A.APR.5 (+) Know and apply the Binomial Theorem for the expansion of $(x + y)^n$ in powers of x and y for a positive integer n, where x and y are any numbers, with coefficients determined for example by Pascal's Triangle.</p>	Relate the Pascal triangle property of binomial coefficients to $(x+y)^{n+1} = (x+y)(x+y)^n$, deriving explicit formulas for the coefficients, or proving the binomial theorem by induction.
				<p>Rewrite rational expressions</p> <p>A.APR.6 Rewrite simple rational expressions in different forms; write $a(x)/b(x)$ in the form $q(x) + r(x)/b(x)$, where $a(x)$, $b(x)$, $q(x)$, and $r(x)$ are polynomials with the degree of $r(x)$ less than the degree of $b(x)$, using inspection, long division, or, for the more complicated examples, a computer algebra system.</p>	Use of a Computer Algebra System is new to CCSS. The limitations on rational functions apply to the rational expressions in A.APR.6.
				<p>Rewrite rational expressions</p> <p>A.APR.7 (+) Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add, subtract, multiply, and divide rational expressions.</p>	The ideas of closure and the one-to-one correspondence between the value of the rational expressions and rational numbers were not explicit in the 2003 NC SCOS. This standard requires the general division algorithm for

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
						polynomials.
			The Real Number System	N.RN.3	Use properties of rational and irrational numbers. Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational.	Connect N.RN.3 to physical situations, e.g., finding the perimeter of a square of area 2.
	1.04	Operate with matrices to model and solve problems.				Matrices are in the fourth course of the CCSS.
	1.05	Model and solve problems using direct, inverse, combined and joint variation.				Direct variation is in the middle school CCSS. Inverse, combined and joint variations are not in the CCSS.
			The Complex Number System	N.CN.8	Use complex numbers in polynomial identities and equations (+) Extend polynomial identities to the complex numbers. <i>For example, rewrite $x^2 + 4$ as $(x + 2i)(x - 2i)$.</i>	New to CCSS. Limit to polynomials with real coefficients.
				N.CN.9	Use complex numbers in polynomial identities and equations (+) Know the Fundamental Theorem of Algebra; show that it is true for quadratic polynomials.	New to CCSS. Limit to polynomials with real coefficients.
			Seeing Structure in Expression	A.SSE.1	Interpret the structure of expressions Interpret expressions that represent a quantity in terms of its context. a. Interpret parts of an expression, such as terms, factors, and coefficients.	New to CCSS. Polynomial and rational expressions are the expectations at this level.
					Interpret the structure of expressions	New to CCSS.

NC SCOS			Common Core		Comments
Strand	Objective	Text of objective	Domain	Standard	
				Cluster Text of objective Interpret expressions that represent a quantity in terms of its context. b. Interpret complicated expressions by viewing one or more of their parts as a single entity.	Polynomial and rational expressions are the expectations at this level.
			Arithmetic with Polynomials and Rational Expressions	Use polynomial identities to solve problems Prove polynomial identities and use them to describe numerical relationships. <i>For example, the polynomial identity $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ can be used to generate Pythagorean triples.</i>	New to CCSS. This cluster has many possibilities for optional enrichment, such as relating the example in A.APR.4 to the solution of the system $u^2 + v^2 = 1$, $v = t(u+1)$
			Creating Equations ¹	Create equations that describe numbers or relationships Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. <i>For example, rearrange Ohm's law $V = IR$ to highlight resistance R.</i>	Literal equations are not explicit in the 2003 NC SCOS. Functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in Algebra I. Note that the example given for A.CED.4 applies to earlier instances of this standard, not to the current course.
			Interpreting Functions	Interpret functions that arise in applications in terms of the context	New to CCSS. Emphasize the selection of a

NC SCOS			Common Core		Comments
Strand	Objective	Text of objective	Domain	Standard	
				<p>Cluster</p> <p>Text of objective</p> <p>For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. <i>Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity.</i>[□]</p>	model function based on behavior of data and context.
				<p>Interpret functions that arise in applications in terms of the context</p> <p>F.IF.5 Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. <i>For example, if the function $h(n)$ gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.</i>[□]</p>	New to CCSS. Emphasize the selection of a model function based on behavior of data and context.
				<p>Interpret functions that arise in applications in terms of the context</p> <p>F.IF.6 Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph.[□]</p>	New to CCSS. Emphasize the selection of a model function based on behavior of data and context.
				<p>Analyze functions using different representations</p> <p>F.IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. ★ b. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.</p>	Focus on applications and how key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.
				<p>F Analyze functions using different representations</p>	Comparing two functions is new

NC SCOS			Common Core				
Strand	Objective	Text of objective	Domain	Standard	Cluster	Text of objective	Comments
						Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). <i>For example, given a graph of one quadratic function and an algebraic expression for another, say which has the larger maximum.</i>	in CCSS. Focus on applications and how key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.
			Building Functions	F.BF.1	<p>Build a function that models a relationship between two quantities</p> <p>Write a function that describes a relationship between two quantities.</p> <p><i>b. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.</i></p>	New to CCSS. Using operations to combine functions is not explicit in the 2003 NC SCOS. Develop models for more complex or sophisticated situations than in previous courses.	
Geometry and Measurement	2.01	Use the composition and inverse of function to model and solve problems; justify results.	Building Functions	F.BF.4	<p>Build new functions from existing functions</p> <p>Find inverse functions.</p> <p>a. Solve an equation of the form $f(x) = c$ for a simple function f that has an inverse and write an expression for the inverse. For example, $f(x) = 2x^3$ or $f(x) = (x+1)/(x-1)$ for $x \neq 1$.</p>	Using composition of functions to verify functions is not in the CCSS. Extend this standard to simple rational, simple radical, and simple exponential functions; connect F.BF.4a to F.LE.4.	
	2.02	Use quadratic functions and inequalities to model and solve problems; justify results. a) Solve using tables, graphs and algebraic properties. b) Interpret the constants and coefficients in the context of the	The Complex Number System	N.CN.7	<p>Use complex numbers in polynomial identities and equations</p> <p>Solve quadratic equations with real coefficients that have complex solutions.</p>	The CCSS does not emphasize the use of multiple representations in this standard. Limit to polynomials with real coefficients.	
			Polynomials	A.	<p>Understand the relationship between zeros and factors of polynomials</p>		

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
		problem.			<p>Know and apply the Remainder Theorem: For a polynomial $p(x)$ and a number a, the remainder on division by $x - a$ is $p(a)$, so $p(a) = 0$ if and only if $(x - a)$ is a factor of $p(x)$.</p>	
				A.APR.3	<p>Understand the relationship between zeros and factors of polynomials Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.</p>	
			Creating Equations ¹	A.CED.1	<p>Create equations that describe numbers or relationships Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i></p>	For A.CED.1, use all available types of functions to create such equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in Algebra I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line.
				A.C	<p>Create equations that describe numbers or relationships</p>	For A.CED.1, use all available types of functions to create such

NC SCOS			Common Core		Comments
Strand	Objective	Text of objective	Domain	Standard	
				<p>Cluster</p> <p>Text of objective</p> <p>Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p>	<p>equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in Algebra I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line.</p>
			Reasoning with Equations and Inequalities	<p>Solve equations and inequalities in one variable</p> <p>Solve quadratic equations in one variable. a. Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.</p>	<p>Students should learn of the existence of the complex number system, and will solve quadratics with complex solutions.</p>
				<p>Solve equations and inequalities in one variable</p> <p>Solve quadratic equations in one variable. b. Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b.</p>	<p>Students should learn of the existence of the complex number system, and will solve quadratics with complex solutions.</p>
				<p>Analyze functions using different representations</p>	<p>Relate this standard to the</p>

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
					Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. c. Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.	relationship between zeros of quadratic functions and their factored forms.
				F.IF.8	Analyze functions using different representations Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.	Focus on applications and how key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.
	2.03	Use exponential functions to model and solve problems; justify results. a) Solve using tables, graphs, and algebraic properties. b) Interpret the constants, coefficients, and bases in the context of the problem.	Creating Equations [□]	A.CED.1	Create equations that describe numbers or relationships Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i>	For A.CED.1, use all available types of functions to create such equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in Algebra I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line.

NC SCOS			Common Core		Comments
Strand	Objective	Text of objective	Domain	Standard	
				<p>Cluster</p> <p>Text of objective</p>	
				<p>Create equations that describe numbers or relationships</p> <p>Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p> <p>A.CED.2</p>	<p>For A.CED.1, use all available types of functions to create such equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in Algebra I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line.</p>
			Interpreting Functions	<p>Analyze functions using different representations</p> <p>Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.</p> <p>e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.</p> <p>F.IF.7</p>	<p>Working with trigonometric functions is new in the CCSS. Focus on applications and how key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.</p>
				<p>Analyze functions using different representations</p> <p>F</p>	<p>Focus on applications and how</p>

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
					Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. b. Use the properties of exponents to interpret expressions for exponential functions. <i>For example, identify percent rate of change in functions such as $y = (1.02)^t$, $y = (0.97)^t$, $y = (1.01)^{12t}$, $y = (1.2)^{t/10}$, and classify them as representing exponential growth or decay.</i>	key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.
					Construct and compare linear and exponential models and solve problems For exponential models, express as a logarithm the solution to $ab^{ct} = d$ where a , c , and d are numbers and the base b is 2, 10, or e ; evaluate the logarithm using technology.	Consider extending this standard to include the relationship between properties of logarithms and properties of exponents, such as the connection between the properties of exponents and the basic logarithm property that $\log xy = \log x + \log y$.
			Linear, Quadratic, and Exponential Models	F.LE.4	Construct and compare linear and exponential models and solve problems	New to the CCSS
					Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.	At this level, compare linear, exponential and quadratic growth, and polynomial functions.
2.04	Create and use best-fit mathematical models of linear, exponential, and quadratic functions to solve problems involving sets of data. a) Interpret the constants, coefficients, and bases in the context of the data b) Check the model for goodness-of-				Moved to Algebra I CCSS.	

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
2.05		fit and use the model, where appropriate, to draw conclusions or make predictions.				
		Use rational equations to model and solve problems; justify results. a) Solve using tables, graphs, and algebraic properties. b) Interpret the constants and coefficients in the context of the problem. c) Identify the asymptotes and intercepts graphically and algebraically.	Creating Equations ¹¹	A.CED.1	<p>Create equations that describe numbers or relationships</p> <p>Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i></p>	For A.CED.1, use all available types of functions to create such equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in Algebra I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line.
				A.CED.2	<p>Create equations that describe numbers or relationships</p> <p>Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p>	For A.CED.1, use all available types of functions to create such equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
2.06		Use cubic equations to model and solve problems. a) Solve using tables and graphs. b) Interpret constants and coefficients in the context of the problem.	Reasoning with Equations and Inequalities	A.REI.2	<p>Understand solving equations as a process of reasoning and explain the reasoning</p> <p>Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.</p>	<p>the types of problems should draw from more complex situations than those addressed in Algebra I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line.</p> <p>Extend to simple rational and radical equations.</p>
				A.APR.3	<p>Understand the relationship between zeros and factors of polynomials</p> <p>Identify zeros of polynomials when suitable factorizations are available, and use the zeros to construct a rough graph of the function defined by the polynomial.</p>	
			Creating Equations ^d	A.CED.2	<p>Create equations that describe numbers or relationships</p> <p>Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p>	<p>For A.CED.1, use all available types of functions to create such equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in</p>

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
2.07		Use equations with radical expressions to model and solve problems; justify results. a) Solve using tables, graphs, and algebraic properties. b) Interpret the degree, constants, and coefficients in the context of the problem.	Interpreting Functions	F.IF.7	Analyze functions using different representations Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. [□] c. Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior.	Algebra I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line. Relate F.IF.7c to the relationship between zeros of quadratic functions and their factored form.
					Create equations that describe numbers or relationships Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i>	For A.CED.1, use all available types of functions to create such equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in Algebra I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line.
			Creating Equations [□]	A.CED.1	Create equations that describe numbers or relationships	For A.CED.1, use all available types of functions to create such

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
					<p>Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p>	<p>equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in Algebra I. For example, finding the equation of a line through a given point perpendicular to another line allows one to find the distance from a point to a line.</p>
					<p>Understand solving equations as a process of reasoning and explain the reasoning</p> <p>Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.</p>	<p>Extend to simple rational and radical equations.</p>
					<p>Analyze functions using different representations</p> <p>Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.[□]</p> <p>b. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.</p>	<p>Using key features to guide selection of appropriate models/functions is the expectation at this level.</p>
					<p>Create equations that describe numbers or relationships</p> <p>Create equations in two or more variables to represent</p>	<p>Equations using all available types of expressions, including simple root functions are the</p>
2.08		Use equations and inequalities with absolute value to model and solve problems; justify results.	Creating Equations [□]	A.CE		

NC SCOS			Common Core		Comments
Strand	Objective	Text of objective	Domain	Standard	
		a) Solve using tables, graphs, and algebraic properties. b) Interpret the degree, constants, and coefficients in the context of the problem.		Cluster Text of objective relationships between quantities; graph equations on coordinate axes with labels and scales.	expectations at this level.
			Interpreting Functions	F.IF.7 Analyze functions using different representations Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. [□] b. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions.	Focus on applications and how key features relate to characteristics of a situation, making selection of a particular type of function model appropriate.
	2.09	Use the equations of parabolas and circles to model and solve problems; justify results. a) Solve using tables, graphs, and algebraic properties. b) Interpret the degree, constants, and coefficients in the context of the problem.			Moved to Geometry CCSS.
2.10		Use systems of two or more equations or inequalities to model and solve problems; justify results. Solve using tables, graphs, matrix operations, and algebraic properties.	Creating Equations [□]	A.CED.3 Create equations that describe numbers or relationships. Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or nonviable options in a modeling context. <i>For example, represent inequalities describing nutritional and cost constraints on combinations of different foods.</i>	For A.CED.1, use all available types of functions to create such equations, including root functions, but constrain to simple cases. While functions used in A.CED.2, 3, and 4 will often be linear, exponential, or quadratic the types of problems should draw from more complex situations than those addressed in Algebra I. For example, finding the equation of a line through a given point perpendicular to

NC SCOS			Common Core		Comments
Strand	Objective	Text of objective	Domain	Standard	
				Cluster Text of objective	
					another line allows one to find the distance from a point to a line.
Algebra			Seeing Structure in Expressions	A.SSE.4 Write expressions in equivalent forms to solve problems Derive the formula for the sum of a finite geometric series (when the common ratio is not 1), and use the formula to solve problems. <i>For example, calculate mortgage payments.</i>	Moved from 2003 fourth math NC SCOS. Consider extending A.SSE.4 to infinite geometric series in curricula implementations of this course.
			Reasoning with Equations and Inequalities	A.REI.7 Represent and solve equations and inequalities graphically. Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.	Include systems consisting of one linear and one quadratic equation. Include systems that lead to work with fractions. For example, finding the intersections between $x^2 + y^2 = 1$ and $y = (x+1)/2$ leads to the point $(3/5, 4/5)$ on the unit circle, corresponding to the Pythagorean triple $3^2 + 4^2 = 5^2$.
				A.REI.11 Represent and solve equations and inequalities graphically. Explain why the x -coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$	New to CCSS. Include combinations of linear, polynomial, rational, radical, absolute value and exponential functions.

NC SCOS			Common Core		Comments
Strand	Objective	Text of objective	Domain	Standard	
				<p>Cluster</p> <p>Text of objective</p> <p>are linear polynomial, rational, absolute value, exponential, and logarithmic functions.</p>	
			Building Functions	<p>F.BF.3</p> <p>Build new functions from existing functions Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $k f(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. Include recognizing even and odd functions from their graphs and algebraic expressions for them.</p>	<p>Not explicit in the 2003 NC SCOS.</p> <p>Use transformations of functions to find models as students consider increasingly more complex situations. Note the effect of multiple transformations on a single graph and the common effect of each transformation across function types.</p>
			Trigonometric Functions	<p>F.TF.1</p> <p>Extend the domain of trigonometric functions using the unit circle Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle.</p>	Moved from 2003 fourth math NC SCOS.
				<p>F.TF.2</p> <p>Extend the domain of trigonometric functions using the unit circle Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle.</p>	Moved from 2003 fourth math NC SCOS.
				<p>F.TF.5</p> <p>Model periodic phenomena with trigonometric functions Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline.[□]</p>	Moved from 2003 fourth math NC SCOS.
			F	Prove and apply trigonometric identities	Moved from 2003 fourth math

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
					Prove the Pythagorean identity $\sin^2(\theta) + \cos^2(\theta) = 1$ and use it to find $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$ given $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$ and the quadrant of the angle.	NC SCOS. An Algebra II course with an additional focus on trigonometry could include the (+) standard F.TF.9; Prove the addition and subtraction formulas for sine, cosine, and tangent and use them to solve problems. This could be limited to acute angles in Algebra II.
Data Analysis and Probability			Interpreting Categorical and Quantitative Data	S.ID.4	Summarize, represent, and interpret data on a single count or measurement variable	New to CCSS. While students may have heard of the normal distribution, it is unlikely that they will have prior experience using it to make specific estimates. Build on students' understanding of data distributions to help them see how the normal distribution uses area to make estimates of frequencies (which can be expressed as probabilities). Emphasize that only some data are well described by a normal distribution.
					Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve.	
			Making Inferences and Justifying Conclusions	S.I	Understand and evaluate random processes underlying statistical experiments	New to CCSS.
		Understand statistics as a process for making inferences about population parameters based on a random sample from that population.				
					Understand and evaluate random processes underlying statistical experiments	New to CCSS. Include comparing theoretical and

NC SCOS			Common Core		Comments
Strand	Objective	Text of objective	Domain	Standard	
				<p>Cluster</p> <p>Text of objective</p> <p>Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. <i>For example, a model says a spinning coin falls heads up with probability 0.5. Would a result of 5 tails in a row cause you to question the model?</i></p>	empirical results to evaluate the effectiveness of a treatment.
				<p>Make inferences and justify conclusions from sample surveys, experiments, and observational studies</p> <p>Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each.</p>	New to CCSS. In earlier grades, students are introduced to different ways of collecting data and use graphical displays and summary statistics to make comparisons. These ideas are revisited with a focus on how the way in which data is collected determines the scope and nature of the conclusions that can be drawn from that data. The concept of statistical significance is developed informally through simulation as meaning a result that is unlikely to have occurred solely as a result of random selection in sampling or random assignment in an experiment.
				<p>Make inferences and justify conclusions from sample surveys, experiments, and observational studies</p> <p>Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling.</p>	New to CCSS. Focus on the variability of results from experiments—that is, focus on statistics as a way of dealing with, not eliminating, inherent randomness.
				<p>Make inferences and justify conclusions from sample surveys, experiments, and observational studies</p>	New to CCSS. Focus on the variability of results from

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
					Use data from a randomized experiment to compare two treatments; use simulations to decide if differences between parameters are significant.	experiments—that is, focus on statistics as a way of dealing with, not eliminating, inherent randomness.
				S.IC.6	Make inferences and justify conclusions from sample surveys, experiments, and observational studies Evaluate reports based on data.	New to CCSS. In earlier grades, students are introduced to different ways of collecting data and use graphical displays and summary statistics to make comparisons. These ideas are revisited with a focus on how the way in which data is collected determines the scope and nature of the conclusions that can be drawn from that data. The concept of statistical significance is developed informally through simulation as meaning a result that is unlikely to have occurred solely as a result of random selection in sampling or random assignment in an experiment.
			Using Probability to Make Decisions	S.MD.6	Use probability to evaluate outcomes of decisions (+) Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator).	New to CCSS. Extend to more complex probability models. Include situations such as those involving quality control, or diagnostic tests that yield both false positive and false negative results.
				S.	Use probability to evaluate outcomes of decisions (+) Analyze decisions and strategies using probability	New to CCSS. New to CCSS. Extend to more complex

NC SCOS			Common Core			
Strand	Objective	Text of objective	Domain	Standard	Cluster	Comments
					Text of objective	
					concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game).	probability models. Include situations such as those involving quality control, or diagnostic tests that yield both false positive and false negative results.

DRAFT